



PCC
POLLUTION CONTROL CORP.
CATCHING OIL SINCE 1992

THE CONTAINMENT STANDARD

SAVES SPILLS, MONEY, AND CLEAN UPS



PCC TRAPPER
STUFFING BOX CONTAINMENT



PCC 301
LOAD LINE CONTAINMENT

LEADERS IN ENVIRONMENTAL CONTAINMENT SINCE 1992
AMERICAN OWNED



PCC
POLLUTION CONTROL CORP.
CATCHING OIL SINCE 1992

THE CONTAINMENT STANDARD

PCC 300

3 Gal.

U.S. Patents 9,151,428 - 7,921,884 - 7,673,658
Canadian Patent 2,682,171



PCC 301

6 Gal.

U.S. Patents 9,151,428 - 7,921,884 - 7,673,658
Canadian Patent 2,682,171



PCC 302

9 Gal.

U.S. Patents 9,151,428 - 7,921,884 - 7,673,658
Canadian Patent 2,682,171



PCC 303

29 Gal.

U.S. Patents 7,673,658
Canadian Patent 2,682,171



Pollution Control Corp. has been providing Oilfield and Industrial Containment Systems since 1992. PCC has a diverse product line of Load Line Containment Systems, ranging from 3 to 29 gallon capacity. The containers are manufactured with UV resistant polyethylene and are available in three colors.


WARNING: PCC Loadline Containers are to be used only for the loading and unloading of crude oil and saltwater only at atmospheric pressure. Use of PCC Loadline Containers for loading and unloading of other materials besides crude oil and salt water and/or at other than atmospheric pressures and/or Collar Flow Pressure exceeding 75 psi, could result in serious personal injury or death, and could cause extensive property damage.

U.S. Patents
9,151,428 - 7,921,884 - 7,673,658
Canadian Patent
2,682,171






PCC
POLLUTION CONTROL CORP.
CATCHING OIL SINCE 1992

301



Load Line Containment - Technical Specifications

Specifications	300	301	302	303
Distance from the ground to the bottom of a 3 inch collar	 4.75"	 7.5"	 7"	 17"
Capacity (Gal.)	3	6	9	29
Weight (lbs)	20	25	35	31
Height (in.)	13.5	16.5	19.5	30
Width (in.)	19.25	21.5	26	26
Front to Back (in.)	18.5	21.5	27.5	27.5
Sidewinder	Standard	Standard	Optional	Optional

*UPS charges are based on box size versus actual weight.

THE CONTAINMENT STANDARD

LOAD LINE CONTAINMENT

Quality UV resistant polyethylene.
Eliminates expensive clean up at loading and unloading areas.
Sidewinder automatically empties unit while truck is loading product.
Units can be locked for security.
Valves can be locked inside the 302 and 303 units.
Stainless steel bolts and hinges.
Unit is designed to handle oil and saltwater.
All units come in 2", 3" or 4" collar sizes. Carbon steel is standard and stainless steel is available on request.
PCC 303 has a 4-1/2" hole to accommodate all pipes sizes.
Taller lids available on the 302 and 303 to accommodate gate valves.

PCC LOAD LINE CONTAINERS
are available in yellow, tan or black



PCC 302



Sidewinder Assembly
Optional - 302 & 303
Camlock Fitting Not Included



PCC 303



PCC 302 & 303 units can be locked with valves inside.

PCC 302 & 303 have optional sidewinder installed after the valve.

Automatically empty your Pollution Control container with the sidewinder, while loading product.




PCC Load Line Containers help with compliance of Federal Regulations for spills both inside and outside containment walls



PCC
POLLUTION CONTROL CORP.
CATCHING OIL SINCE 1992

THE CONTAINMENT STANDARD



**THE BUILT-IN GASKET SEALS
AROUND THE FLANGE**




**FLUOROSILICONE
REUSABLE GASKET**



SWING HINGE BOLTS CLOSE

**TIGHTEN ALL 4 BOLTS
(ALREADY IN PLACE)
ON BOTH SIDES
NO INSIDE BOLTS
SIMPLE FAST INSTALLATION**

BOTTOM DRAIN



**NUTS
IMBEDDED
IN TUB**

THE CONTAINMENT STANDARD

PEE TRAPPER
F8 PLUS & F8 MAX



30 lbs.

METAL FRAME WITH FLANGE SEAL
NON-CORROSIVE POLY TUB




41 lbs.

METAL FRAME WITH FLANGE SEAL
CORROSION RESISTANT METAL TUB


LOST PRODUCTION?

LID REPELS RAIN WATER TO PREVENT SHUTDOWN CAUSING LOST PRODUCTION

WIPERS FOR 1.25", 1.5" AND 1.75" POLISHED RODS
INCLUDED. 2" WIPERS AVAILABLE.




SELF-CENTERING LID




REPLACEABLE WIPERS

4 LID SIZES AVAILABLE


3"




7"



11"





14"





THE CONTAINMENT STANDARD

PCC TRAPPERS CAN BE CONFIGURED IN TWO DIFFERENT WAYS.




PSE TRAPPER
F8 PLUS & F8 MAX

GREASE HOSE ASSEMBLY WITH
CHECK COUPLER PROVIDES
SAFETY / SAVES TIME



GREASE THE STUFFING BOX
WITHOUT REMOVING THE LID

grease zerks



For Canadian Inquiries Contact:



**WESTERN
OILFIELD
SPECIALTIES CORP.**

Western Oilfield Specialties Corp.
www.wos.ca

Phone: (780) 437-7733



PCC
POLLUTION CONTROL CORP.
CATCHING OIL SINCE 1992

LID SIZES BY STUFFING BOX


3" LID HEIGHT



Big Stuff Dual Pack
w/ Check Valve




Big Stuff Dual Pack



Adapter Plate

Weir Seaboard 5k



Adapter Plate

Harbison Fischer
Quik-Seal/Opal Pro-Align


7" LID HEIGHT



Dual or Double Pack



Big Stuff Dual Pack
w/ Lubricator



Adapter Plate

Weir Seaboard 5k
w/ Lubricator




Adapter Plate

Harbison Fischer
w/ Lubricator

11" LID HEIGHT



Dual or Double Pack
w/ Lubricator




Adapter Plate

Skinner Tee Base
w/ Lubricator



Pollution Control Stuffing Box




Adapter Plate

Skinner Cross Twin


Visit the PCC website for animated and printed
installation instructions: pollutioncontrolcorp.com

TRAPPER **F8 PLUS & F8 MAX**




Adapter Plate

Ratigan




Adapter Plate

Big Stuff Single Pack



Adapter Plate

Iron Mule




Adapter Plate

Jack Box
(Call for info)




Adapter Plate

Ratigan
w/ Lubricator




Adapter Plate

Big Stuff Single Pack
w/ Lubricator



Adapter Plate

Iron Mule
w/ Lubricator



Adapter Plate

Skinner Tee Base

14" LID HEIGHT



Pollution Control Stuffing Box
w/ Lubricator



Adapter Plate

Skinner Cross Twin
w/ Lubricator

7" LID HEIGHT



Adapter Plate

Single pack
Mounts to Pumping Tee
(Call for info)



PCC
POLLUTION CONTROL CORP.
CATCHING OIL SINCE 1992

THE CONTAINMENT STANDARD

PCC 400

Pollution control cone

Designed to withstand the elements
Constructed of long lasting galvanized metal
Sizes: 4", 6", 8", 10", 12", 14"
For 16" and above call for Quote.
For custom sizes and stainless call for Quote.



PIG CATCHERS **NEW DESIGN**

PCC 42 D

Height 30", Height with Lid 34"
Width 42", Depth 40"
Weight 105 lbs.
110 gallon capacity
Swivel lid
Double walled



US Patent 12,710,124
Canadian Patent 2,682,171

Lid in open
position

PCC 42 D-18

Height 18", Height with Lid 22"
Width 42", Depth 40"
Weight 87 lbs.
50 gallon capacity
Swivel lid
Double walled



US Patent 12,710,124
Canadian Patent 2,682,171

Lid in open
position

PCC 24 D

Height 30", Height with Lid 34"
Width 24", Depth 23"
Weight 57 lbs.
29 gallon capacity
Swivel lid
Double walled



US Patent 12,710,124
Canadian Patent 2,682,171

Lid in open
position

PCC 390

Height 49", Height with Lid 53"
Width 36", Depth 34"
Weight 100 lbs.
90 gallon capacity
Swivel lid
Double walled



US Patent 12,710,124
Canadian Patent 2,682,171

Lid in open
position


All PCC Pig Catchers are double walled so they can be buried and include an expanded metal screen to catch pig. Grounding Kit Included.

THE CONTAINMENT STANDARD


CONTAINMENT PRODUCTS

COBRA II

- A. Vent - 1"
- B. Outlet - 3"
- C. Inlet - 3"
- D. Dipstick - 1" collar
- E. Collar - 1" for float
- F. 2" Threaded inlet (optional)
- G. Quality UV resistant fiberglass





125 Gallon double containment sump



COBRA III

- A. Vent - 1"
- B. Outlet - 3"
- C. Inlet - 3"
- D. Dipstick - 1" collar
- E. Collar - 1" for float
- F. 2" Threaded inlet (optional)
- G. Quality UV resistant fiberglass



CONTAINMENT TRAYS

Spill Utility Tray
24"x48" x 4^{3/4}"
24 gallon capacity




404 Shallow
30"W x 60"L x 12"H
90 gallon capacity



SAVES SPILLS, MONEY, CLEAN UPS



THE CONTAINMENT STANDARD



pollutioncontrolcorp.com
Toll Free: 800-966-1265